

NOVA LUCE

OUTDOOR
COLLECTION
2023



O U T D O O R

10 . MABEL



12 . ADURO



14 . TIEN



14 . MINOT



16 . TALA



18 . FOCUS



20 . RAMO



22 . ELLERY



24 . PORTAL



26 . NED



27 . VOLVEL



28 . SURF



30 . PAX



32 . ACQUA



32 . BLISS



34 . TWIN



36 . OFIR



38 . POET



40 . PARK



42 . POSEN



42 . ENZI



44 . APOLLO



46 . SUITE



47 . SUITE



48 . BRIGITTA



50 . ZELDA



52 . ZELDA



54 . DEVORA



54 . STARK



56 . STONE



58 . AGOSTO



58 . MAX



60 . PYRO



62 . STICK



64 . NOTEN



66 . ROCK



68 . TALA



70 . CETERA



72 . ZOSIA



74 . FERRON



75 . LOCK



76 . SELENA



78 . LOEVE



78 . ZEST



80 . FIGO



82 . REGINA



82 . SORREN



84 . OMIKA



86 . CARINA



88 . ISIDORA



92 . BEV



94 . CAIRO



96 . CASTRO



98 . ARAN



100 . GRANTE



100 . BARCO



102 . FOX



104 . FUENTO



104 . EMILE



106 . EMILE



107 . LIDO



110 . VALOR



110 . PRIM



110 . TREND0



110 . MARTA



112 . LOVETO



112 . BAY



112 . DYN



114 . BALI



118 . VEIRO



118 . MILEY



120 . VIDENO



120 . ZIRI



122 . FUNGO



124 . ARABELLA



124 . CHEZ



124 . MILE



126 . COMBO



128 . BRICE



128 . CAPO



130 . PARRIS



131 . DEWI



132 . COMO



132 . SOHO



134 . ZARI



135 . COMO



136 . AGILE



136 . BRIN



138 . DARF



139 . NUS



140 . FOCUS



140. GRAVITY	142 . COMO	144 . EPIC	146 . DEWEI	147 . OVI	148 . NERO	148 . NERO
						
150. NODUS	151. LIMBIO	152 . LUPO	152 . KEEN	153 . NOBU	154 . LETO	156 . ZENON
						
156. CAPE	157. KEEN	158 . TUNE	159 . DROPLET	160 . SANTO	160 . ZENITH	161 . ZENITH
						
166. FEND	166. STAKE	166 . KIMIKO	168 . DESTRY	170 . MINI	170 . INSIDE	172. INSIDE
						
173. NORTH	176 . FOCUS	178 . CECI	180 . CERISE	180 . CERISE	182. OLIVER	182. TOMMY
						
186. BLADE	190 . FUMO	190 . FABIO	192 . SEINA	200 . ROSE	201 . COLT	202 . JIGRA
						
203 . VERHAL	204 . FIGI	204 . MOCHA	205 . VENEDO	208 . RIO	208 . LIV	210 . FINLO
						
212 . LUTON	212 . KRYPTON	214 . BRIGI	214 . AIZEN	216 . JOYA	217 . COVE	218 . PULSAR
						
222 . KRYPTON	224 . CIRCE	226 . PASSAGIO	228 . BANG	232 . WALL WASHER	234 . WALL WASHER	235 . ALP
						

01

FLOOR & WALL
p. 008

02

CEMENT WALL & FLOOR
p. 090

03

SOLAR & SENSOR LIGHTS
p. 108

04

WALL LIGHTS
p. 116

05

SPIKES
p. 162

06

CEILING LIGHTS
p. 174

07

SPOT LIGHTS
p. 184

08

PORTABLE LIGHTS
p. 188

09

STEP LIGHTS
p. 206

10

WALL WASHER
p. 230

FLOOR & WALL






IP54

MABEL ■ 9002869
Black Aluminium
& Clear Glass
LED 8.5 Watt 590Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 64 cm
D: 7.8 W: 7.8 H: 150 cm



MABEL ■ 9002870
Black Aluminium
& Clear Glass
LED 17 Watt 1190Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 35 cm
D: 48.9 W: 20.1 H: 201.2 cm





IP54



ADURO - 9002871
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 35 cm




ADURO - 9002872
 Black Aluminium & Acrylic
 LED 7.6 Watt 460Lm
 3000K 200-240 Volt
 Beam Angle 78° IP54
 D: 7.5 W: 11.7 H: 65 cm







TIEN ■ 9002878
Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 H: 25 cm



IP54



TIEN ■ 9002879
Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 H: 65 cm



MINOT ■ 9026125
Black Aluminium
& Acrylic
LED 12 Watt 601Lm
3000K 100-240V
Beam Angle 122° IP54
L: 15 W: 9.5 H: 70 cm





IP54



TALA ■ 9026121
Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 19.5 cm



TALA ■ 9026122
Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 65 cm







IP54



FOCUS - 9207912
Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm



FOCUS - 9279111
Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm




FOCUS - 9279112
Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm







RAMO - 9291701
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 20 H: 14.6 cm



RAMO - 9291702
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 14.6 H: 60 cm



IP65




RAMO - 9291703
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 21 H: 60 cm






IP65



ELLERY ■ 9100916
Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 36 cm



ELLERY ■ 9100918
Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 80 cm



ELLERY ■ 9100917
Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 60 cm





IP54




PORTAL - 9002840
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 30 cm



PORTAL - 9002841
Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 65 cm





IP54



NED ■ 9104021


Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 1150Lm
3000K 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm




Rotating

VOLVEL ■ 9195062

Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm



Rotating




NED ■ 9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm



VOLVEL ■ 9195061

Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm



IP54

IP65



SURF • 9176101

Anthracite Die-Casting Aluminium
LED 8 Watt 440Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm



SURF • 9176102

Anthracite Die-Casting Aluminium
LED 8 Watt 512Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm





IP54



PAX - 9756800
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 80 cm




PAX - 9756500
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 50 cm






BLISS ■ 819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 16 cm



BLISS ■ 819503

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 50 cm



ACQUA ■ 713312

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 18 H: 5 cm



ACQUA ■ 713313

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 5 H: 80 cm




IP54







Rotating



TWIN ■ 713121
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 476Lm
3000K 220-240 Volt
Rotation 0-90° IP54
L: 20 W: 10 H: 60 cm




Rotating



TWIN ■ 713122
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 476Lm
3000K 220-240 Volt
Rotation 0-90° IP54
L: 20 W: 10 H: 10 cm




IP54





OFIR ■ 9002866

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 8 W: 7 H: 16 cm




IP54




OFIR ■ 9002867

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 50 cm



OFIR ■ 9002868

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 75 cm







IP65



POET ■ 9492780
Anthracite Die-Casting Aluminium
& Clear Glass
LED 16 Watt 1177Lm
3000K 220-240V
Beam Angle 90° IP65
L: 23.5 W: 10 H: 65 cm



POET ■ 9492770
Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 560Lm
3000K 220-240V
Beam Angle 94° IP65
L: 13.5 W: 10 H: 65 cm





PARK - 711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 9 W: 14.5 H: 18 cm




PARK - 713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 1044Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 22 H: 80 cm



PARK - 713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 12 H: 80 cm



IP54





IP54





POSEN - 9131201
Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 872.69Lm
3000K 200-240 Volt
Beam Angle 113° IP65
L: 18 W: 19 H: 5 cm



ENZI - 9936101
Dark Gray Aluminium
Acrylic Diffuser
LED 15 Watt 1630Lm
3000K 100-240 Volt
Beam Angle 180° IP54
D: 18 W: 18 H: 7 cm



POSEN - 9131202
Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 795Lm
3000K 200-240 Volt
Beam Angle 113° IP65
L: 18 W: 19 H: 65 cm



ENZI - 9936102
Dark Gray Aluminium
Acrylic Diffuser
LED 15 Watt 1630Lm
3000K 100-240 Volt
Beam Angle 180° IP54
D: 18 W: 18 H: 80 cm






APOLLO ■ 713411

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 4.5 cm





APOLLO ■ 713311

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 80 cm



IP54





IP54



SUITE ■ 859439
White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm

LED IP54 MADE IN CHINA




SUITE ■ 9297191
Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm

LED IP54 MADE IN CHINA



SUITE ■ 859438
Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm

LED IP54 MADE IN CHINA



SUITE ■ 9207167
Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm

LED IP54 MADE IN CHINA



SUITE ■ 9207168
Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm

LED IP54 MADE IN CHINA


IP54




047




IP65




BRIGITTA ■ 9020928
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 503Lm
3000K 100-240V IP65
L: 12 W: 8.3 H: 20.8 cm
LED IP65 WARM WHITE



BRIGITTA ■ 9020929
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 501Lm
3000K 100-240V IP65
L: 12 W: 13.7 H: 60 cm
LED IP65 WARM WHITE



BRIGITTA ■ 9020930
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 515Lm
3000K 100-240V IP65
L: 12 W: 15.5 H: 40 cm
LED IP65 WARM WHITE



BRIGITTA ■ 9020931
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 526Lm
3000K 100-240V IP65
L: 12 W: 15.5 H: 80 cm
LED IP65 WARM WHITE


IP65





IP65


ZELDA ■ 9020925
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 342Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 15 cm



LED IP65 WARM WHITE




ZELDA ■ 9020921
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 335Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 40 cm



LED IP65 WARM WHITE



ZELDA ■ 9020922
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 301Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 80 cm




LED IP65 WARM WHITE







IP65



ZELDA ■ 9020926
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 220-240V IP65
L: 12 W: 9.4 H: 15 cm



ZELDA ■ 9020923
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 590Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 40 cm



ZELDA ■ 9020924
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 80 cm



IP54



DEVORA ■ 822642
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 65 cm



DEVORA ■ 826423
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 22 cm



IP65




STARK ■ 9492660
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 8.2 Watt 116Lm
3000K 220-240V
Beam Angle 168° IP65
D: 16 H: 14.6 cm






IP54



STONE ■ 9002850
White Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm



STONE ■ 9002851
Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm




STONE ■ 9002860
Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 12 H: 65 cm





IP65



MAX ■ 9026002

Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1307Lm
3000K 200-240 Volt
Beam Angle 120° IP65
D: 16 W: 10 cm



MAX ■ 9026001

Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1385Lm
3000K 200-240 Volt
Beam Angle 120° IP65
L: 16 W: 10 H: 16 cm




AGOSTO ■ 9207615

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 W: 11 cm



AGOSTO ■ 9207616

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
L: 11 W: 11 H: 11 cm



AGOSTO ■ 9277151


Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 H: 50 cm






PYRO ■ 9209211

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 W: 13 H: 21 cm



PYRO ■ 9209212

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 H: 60 cm



IP54






STICK - 713412
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 11 H: 17 cm



STICK - 71371102
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 25 cm




STICK - 71371101
Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 80 cm




IP54






NOTEN ■ 9905023
Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 20 cm



NOTEN ■ 9905022
Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 40 cm



NOTEN ■ 9905021
Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 80 cm





IP65



ROCK - 9905025
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 43 cm



ROCK - 9905024
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 83 cm





IP54



TALA ■ 9026123
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 25 cm


TALA ■ 9026124
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 70 cm





CETERA - 9002873

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm



CETERA - 9002874

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 50 cm



IP54




CETERA - 9002875

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 90 cm





IP65



ZOSIA - 9060181
Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 12 H: 25 cm



ZOSIA - 9060182
Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 50 cm



ZOSIA - 9060183
Dark Gray Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 80 cm






IP65



FERRON ■ 9060184

Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 50 cm



FERRON ■ 9060185

Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 80 cm



LOCK ■ 813101

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 16 H: 20 cm



LOCK ■ 813104

Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 13.5 H: 50 cm




IP54







IP65




SELENA ■ 9492720
Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 10.1 H: 17.1 cm




SELENA ■ 9492740
Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 9.8 H: 16 cm



SELENA ■ 9492730
Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 65 cm




SELENA ■ 9492750
Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 8.5 H: 65 cm







IP54



ZEST ■ 870026
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 18 W: 17 H: 28 cm



ZEST ■ 870045
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 20 W: 20 H: 29 cm



LOEVE ■ 9193101
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm



IP65




LOEVE ■ 9193102
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm






IP65

FIGO - 9492500
Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 14.5 W: 20.5 H: 43 cm




FIGO - 9060192
Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
L: 11 W: 15 H: 24.5 cm



IP54



FIGO - 9060193
Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP54
L: 11 W: 11 H: 50 cm






SORREN ■ 9197701

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 25.8 cm




REGINA ■ 9492442

Anthracite Die-Casting Aluminium
& Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 34.8 cm




SORREN ■ 9197702

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 22 W: 8.7 H: 22 cm




REGINA ■ 9492760

Anthracite Die-Casting Aluminium
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13.8 W: 10 H: 23.8 cm




REGINA ■ 9492710

Anthracite Die-Casting Aluminium
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 15.2 W: 12.2 H: 29.5 cm




IP65






OMIKA ■ 9060195

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 37 cm



OMIKA ■ 9060197

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 88.5 cm



IP54




OMIKA ■ 9060196


Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 97 cm




OMIKA ■ 9060194

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 W: 18.5 H: 28 cm






CARINA - 9060208
Black Aluminium
LED 6 Watt 294.84Lm
3000K 220-240V IP65
D: 18 W: 21.5 H: 30 cm




CARINA - 9060207
Black Aluminium
LED 6 Watt 279.09 Lm
3000K 220-240V IP65
D: 18 H: 150 cm



CARINA - 9060213
Black Aluminium
LED 6 Watt 279.54 Lm
3000K 220-240V IP65
D: 18 W: 27 H: 90 cm



IP65






IP54



ISIDORA ■ 870426

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 25 W: 27 H: 40 cm



ISIDORA ■ 870445

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 22 H: 95 cm




CEMENT WALL & FLOOR






IP65




BEV ■ 9540214

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 17 W: 17 H: 20 cm



BEV ■ 9540215

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 35 cm




BEV ■ 9540216

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 70 cm




IP65



CAIRO ■ 9540217



Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 35 cm




CAIRO ■ 9540218

Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 65 cm






CASTRO ■ 9762161
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm



CASTRO ■ 9762162
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm



CASTRO ■ 9739351
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm



CASTRO ■ 9739352
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm

IP65



IP65



ARAN ■ 9540213
Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 16 W: 15 H: 50 cm



ARAN ■ 9540212
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 15 W: 14 H: 70 cm



ARAN ■ 9540211
Gray Cement
Glass Diffuser
LED 2x5 Watt 850Lm
3000K 120-230V IP65
L: 13 W: 14.5 H: 70 cm





GRANTE ■ 9790021
 Gray Concrete & Aluminium
 LED 5 Watt 365Lm 3000K
 220-240 Volt IP65
 L: 12 W: 12 H: 53 cm



GRANTE ■ 9790022
 Gray Concrete & Aluminium
 LED GU10 2x10 Watt
 100-240 Volt
 Bulb Excluded IP65
 L: 20 W: 12 H: 60 cm



BARCO ■ 9540207
 Gray Cement
 Glass Diffuser
 LED 6 Watt 450Lm
 3000K 120-230V IP65
 L: 12 W: 12 H: 25 cm



BARCO ■ 9540208
 Gray Cement
 Glass Diffuser
 LED 6 Watt 450Lm
 3000K 120-230V IP65
 L: 12 W: 12 H: 60 cm





FOX ■ 9470582
White Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm



FOX ■ 9470581
Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm

IP65





FUENTO ■ 9790541
White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm



FUENTO ■ 9790542
Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm



FUENTO ■ 9790551
White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



FUENTO ■ 9790552
Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



IP65



EMILE ■ 9540209
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
Light Down
L: 9 W: 9.7 H: 11.2 cm





EMILE ■ 9540210
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
D: 9 H: 11.2 cm



IP65



LIDO ■ 9790531
White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO ■ 9790532
Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO ■ 9790521
White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm




LIDO ■ 9790522
Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm




SOLAR & SENSOR LIGHTS






VALOR - 9492540
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 104Lm
3000K 3.7 Volt
Beam Angle 86° IP65
Switch On/Off
L: 18.6 W: 7.2 H: 14 cm




PRIM - 9492510
Anthracite Die-Casting
Aluminium & Clear Glass
LED 2 Watt 197Lm
3000K 3.7 Volt
Beam Angle 100° IP65
L: 18 W: 17.5 H: 3.5 cm



IP65




TRENDO - 9492520
Anthracite Die-Casting Aluminium
& Clear Glass
LED 2 Watt 219Lm
3000K 3.7 Volt
Beam Angle 106° IP65
Switch On/Off
L: 12.2 W: 14.6 H: 5 cm




MARTA - 9492530
Anthracite Die-Casting Aluminium
& Clear Glass
LED 1 Watt 57Lm
3000K 3.7 Volt
Beam Angle 54° IP65
Switch On/Off
L: 11.3 W: 8.9 H: 11.2 cm



Motion Sensor Activation
Max. distance 5M. Temperature less than 20°C
The lights need to be installed at least 1.5-2.5M.
from the ground.
Charging time: 7-9 hours
Lighting duration : 10-11 hours





Motion Sensor Activation
Max. distance 5M. Temperature less than 20°C.
The lights need to be installed at least
1.5-2.5M from the ground.



LOVETO - 9120622

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 136Lm 3000K
3.7 Volt Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 14.5 H: 50 cm



LOVETO - 9120621

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 90Lm 3000K
3.7 Volt Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 16.2 H: 24 cm



BAY - 9120711

Dimmable


Anthracite Die-Casting Aluminium
Clear Glass & Acrylic Diffuser
LED 1.5 Watt 82.67Lm 3000K
3.7 Volt Beam Angle 87° IP65
Solar / Switch On/Off
L: 12.6 W: 8.3 H: 25.2 cm



DYN - 9190101

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 199.47Lm 3000K
3.7 Volt Beam Angle 110° IP65
Solar / Switch On/Off
L: 16 W: 11.5 H: 6 cm




IP65






SOLAR

BALI ■ 9922510
Dimmable
Anthracite Die-Casting Aluminium
LED 2 Watt 399.09Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



SOLAR

BALI ■ 9922360
Dimmable
Anthracite Die-Casting Aluminium
LED 2 Watt 265.39Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm




IP65

PORTABLE



SOLAR

USB
CHARGER





WALL LIGHTS



IP54



IP65



VEIRO - 9104835
Anthracite Die-Casting
Aluminium & Clear Glass
LED 6 Watt 62Lm 3000K
200-240 Volt IP65
Light up & Down
Beam Angle 40°
L: 9 W: 9.3 H: 20.5 cm



MILEY - 9202262
Sandy Black Aluminium
Clear Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY - 9202261
Sandy White Aluminium & Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY - 9202131
Sandy White Aluminium & Glass
LED 4.5 Watt 304Lm 3000K
200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm







IP65




VIDENO - 9492590
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 302Lm
3000K 220-240V
Beam Angle 270° IP65
L: 20 W: 10.3 H: 5.5 cm



ZIRI - 9492570
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 284Lm
3000K 220-240V
Beam Angle 96° IP65
D: 18 W: 11.6 H: 4 cm



PURE - 9492560
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 6 Watt 299Lm
3000K 220-240V
Beam Angle 103° IP65
L: 16 W: 10.2 H: 3.4 cm






FUNGO ■ 9027201

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm




FUNGO ■ 9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm





IP65






IP54




ARABELLA ■ 9026119

White Aluminium
& Clear Glass
LED 6 Watt 398Lm
3000K 100-240V
Beam Angle 50° IP54
L: 11 W: 9 H: 18 cm




CHEZ ■ 9259361

White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° IP54
Light Up & Down
L: 13 W: 9 H: 7 cm



CHEZ ■ 9292211

White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° IP54
Light Up & Down
L: 17 H: 8.5 H: 14 cm



MILE ■ 9257871

White Aluminium & Glass
LED 9 Watt 475Lm
3000K 100-240 Volt
Beam Angle 155° IP54
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm



MILE ■ 9262111


White Aluminium & Glass
LED 2x5 Watt 550Lm
3000K 100-240 Volt
Beam Angle 102° IP54
Light Up & Down
L: 18 W: 3.5 H: 9 cm




IP65




FEDOR ■ 9492630
Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 282Lm
3000K 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm



COMBO ■ 9492600
Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 7.5 Watt 265Lm
3000K 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 15.5 cm



GOA ■ 9192171
Anthracite Die-Casting Aluminum
& Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm







IP54



BRICE ■ 9136176
Black Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm




BRICE ■ 9136177
White Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm



IP65



CAPO ■ 9060199
Sandy Black Aluminium
& Tempered Glass Diffuser
LED 3 Watt 184.3Lm
3000K 220-240V IP65
D: 7 W: 6.4 H: 10.5 cm





9492620




9492620




IP65




PARRIS - 9492620
Anthracite Die-Casting Aluminium
& Clear Glass
LED 8.6 Watt 395Lm
3000K 220-240V
Beam Angle 101° IP65
L: 12 W: 12 H: 11.5 cm




SERIKA - 9492580
Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 188Lm
3000K 220-240V
Beam Angle 222° IP65
L: 11 W: 6 H: 11 cm




ZARO - 9492650
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm
3000K 220-240V
Beam Angle 266° IP65
Light Up & Down
L: 9 W: 5.5 H: 10.2 cm



DEWI - 9492640
Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 296Lm
3000K 220-240V
Beam Angle 253° IP65
Light Up & Down
L: 11.8 W: 3.8 H: 9.7 cm




IP65



9492580



9492580



9492650



9492640



IP54




COMO ■ 741661
Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm



COMO ■ 741662
Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm




SOHO ■ 740401
Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



SOHO ■ 740404
Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm



SOHO ■ 740402
Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



SOHO ■ 740403
Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm





IP54



ZARI - 9226217
Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



ZARI - 9226216
Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



ZARI - 9226215
Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



ZARI - 9226214
Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



COMO - 726217
Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x51° IP54
D: 11 W: 8.5 cm
Light in 2 directions



COMO - 852436
Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm
3000K 220-240 Volt 50Hz
Beam Angle 4x51° IP54
D: 11 W: 8.5 cm
Light in 4 directions



IP54




IP54

Adjustable



AGILE - 833426

Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm
3000K 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm






IP65

Rotating



BRIN - 9160101

Anthracite Die-Casting Aluminium
Clear Glass
LED 9.5 Watt 340.76Lm
3000K 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm





IP65




DARF ■ 9925666
Sandy Black Aluminium
ABS Diffuser
LED 2x5 Watt 840Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
Light Up & Down
D: 9.5 W: 10.5 H: 13 cm




DARF ■ 9925665
Sandy Black Aluminium
ABS Diffuser
LED 5 Watt 420Lm
3000K 100-240 Volt 50Hz
Beam Angle 104° IP65
Light Down
D: 9.5 W: 10.5 H: 8.5 cm



IP54



NUS ■ 9200201
Black Die-Casting
Aluminium & Acrylic Diffuser
LED 4 Watt 400.33Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Down
L: 13.2 W: 9 H: 6.9 cm




NUS ■ 9200202
Black Die-Casting
Aluminium & Acrylic Diffuser
LED 2x4 Watt 943Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Up & Down
L: 13.2 W: 9 H: 7.8 cm




IP65



VITORIA ■ 8401030
Dark Gray Aluminium
LED 5 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm



FOCUS ■ 752470
Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm
3000K 220-240 Volt 50Hz
Beam Angle 44° IP54
L: 8.5 W: 14 H: 12 cm



GRAVITY ■ 810067
Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12.5 Watt 591.13Lm
3000K 220-240 Volt 50Hz
Rotation IP54
D: 14 W: 4.8 H: 14 cm



PIER ■ 810066
Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 13 Watt 723.32Lm
3000K 220-240 Volt 50Hz
Rotation IP54
L: 14 W: 4.8 H: 14 cm



IP54





IP54



Adjustable
Beam Angle



COMO - 747406
Sandy White Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle



COMO - 847406
Antique Brown Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle



COMO - 847408
Black Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle




COMO - 847407
Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



IP54



EPIC ■ 9136174
 Black Aluminium
 LED 2x10 Watt 1950Lm
 3000K 220-240 Volt 50Hz
 Adjustable Beam 0-90° IP54
 L: 15 W: 15 H: 15 cm



EPIC ■ 9136175
 White Aluminium
 LED 2x10 Watt 1950Lm
 3000K 220-240 Volt 50Hz
 Adjustable Beam 0-90° IP54
 L: 15 W: 15 H: 15 cm





IP54



AZAR ■ 9026116
Black Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm
LED IP54 WARM WHITE



DEWEI ■ 9026117
Black Aluminum
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm
LED IP54 WARM WHITE



DEWEI ■ 9026118
White Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm
LED IP54 WARM WHITE

IP54



OVI ■ 9136182
Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded Light Down
D: 10 W: 11 H: 9 cm
LED IP54 WARM WHITE





NERO - 710022

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm



NERO - 710021

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm



NERO - 710042

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm



NERO - 710041

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm



IP54



NERO - 910022

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm



NERO - 910021

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm



NERO - 910042

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm



NERO - 910041

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm






LIMBIO ■ 9010601
White ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm



LIMBIO ■ 9010602
Black ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm




NODUS ■ 773221
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm




NODUS ■ 773223
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm




NODUS ■ 773222
Antique Brown Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm




NODUS ■ 773224
Antique Brown Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm



LIMBIO ■ 9010622
Black ABS
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



LIMBIO ■ 9010621
White Acrylic
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm





IP65





LUPU ■ 9926617

Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm
3000K 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm



KEEN ■ 9160081

Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 936Lm
3000K 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm



NOBU ■ 9060206

Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 15 Watt 496.9Lm
3000K 220-240V IP65
L: 19.3 W: 4.7 H: 12.7 cm





LETO ■ 9060203

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm



LETO ■ 9060204

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 29 W: 14.5 H: 10.2 cm



LETO ■ 9060202

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm



LETO ■ 9060205

Sandy Black Aluminium
Acrylic Diffuser
LED 10 Watt 1208Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 17.5 cm




IP65







KEEN ■ 9270027
Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm




KEEN ■ 9270028
Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm



ZENON ■ 9492610
Anthracite Die-Casting
Aluminium & Frost Acrylic
LED 10 Watt 558Lm
3000K 220-240V
Beam Angle 114° IP65
L: 18 W: 7.5 H: 9 cm



CAPE ■ 9492550
Anthracite Die-Casting Aluminium
Frost Acrylic & Clear Glass
LED 10 Watt 763Lm
3000K 220-240V
Beam Angle 112° IP65
L: 20 W: 7.4 H: 20 cm




IP65




IP65



KEEN ■ 9270015
Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm



KEEN ■ 9270016
Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm





IP65



TUNE ■ 9529712
Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm
LED IP65 WARM WHITE



TUNE ■ 9529713
Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm
LED IP65 WARM WHITE



TUNE ■ 9529720
Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm
LED IP65 WARM WHITE



TUNE ■ 9529721
Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm
LED IP65 WARM WHITE




DROPLET ■ 9522101
Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm
LED IP65 WARM WHITE



DROPLET ■ 9522102
Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm
LED IP65 WARM WHITE




IP65




ZENITH - 9020933

Dark Gray Stainless Aluminium
Anti-Glare Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.3 W: 9 H: 10 cm




ZENITH - 9020932

Dark Gray Stainless Aluminium
Anti-Glare Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.3 W: 9 H: 10 cm




ZENITH - 713212

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 23 W: 9.5 H: 26.4 cm



ZENITH - 713514

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 23 W: 9.5 H: 26.4 cm




IP44




ZENITH - 713115

White Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm




ZENITH - 713114

Antique Brown Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm




ZENITH - 713113

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm



IP44





SPIKES




IP65



FEND ■ 9271431
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



FEND ■ 9271491
Black Aluminium & Glass
LED 10 Watt 883.4Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm



FEND ■ 9271433
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 9 H: 64 cm



FEND ■ 9971451
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm



FEND ■ 9971452
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm



IP65




STAKE ■ 9271432

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 9 H: 33 cm




STAKE ■ 9271492

Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 11 H: 35 cm



STAKE ■ 9971455

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 7 H: 45 cm




IP54





KIMIKO ■ 9026126

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 H: 12.5 cm



KIMIKO ■ 9026127


Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 W: 12.5 H: 21 cm



IP65



Rotating & Adjustable



VIDA - 9026128
Black Aluminium & Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP65
D: 7 W: 9.5 H: 21 cm

IP65



Rotating & Adjustable



CALIX - 9172870
Black Aluminium & Clear Glass
LED 3W Watt 273Lm
3000K 220-240 Volt
Beam Angle 24° IP65
D: 40 W: 7.3 H: 22.5 cm

BULB EXCL. IP65



IP54



Rotating & Adjustable




DESTRY - 9136184
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 11.5 cm

BULB EXCL. IP54



Rotating & Adjustable



DESTRY - 9136183
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 30 cm

BULB EXCL. IP54





INSIDE - 9010001

Sandy Black Aluminium & Glass
LED 3 Watt 295.06Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.5 W: 9 H: 21-26 cm



INSIDE - 9010003

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 21-24 cm



INSIDE - 9010002

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm 3000K
220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 13 H: 24-31 cm



INSIDE - 9010005

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 10 H: 24-28 cm



IP65





BASE - 9010006

Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 & 9010005



MINI - 9010004

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





IP54



INSIDE - 767801
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 11 H: 20 cm



INSIDE - 875409
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 7.5 W: 15 H: 36 cm



NORTH - 9240677
Black Aluminium & Glass
LED 10 Watt 700Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 9 W: 9.5 cm



NORTH - 9240678
Black Aluminium & Glass
LED 20 Watt 1500Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 12 W: 18 cm



NORTH - 9240679
Black Aluminium & Glass
LED 30 Watt 2800Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 15 W: 20.5 cm



NORTH - 742071
Aluminium Dark Gray & Glass
LED 18 Watt 1440Lm 3000K
100-240 Volt 50Hz
Beam Angle 48° IP65
W: 19.5 L: 13 H: 20-29 cm

IP65





CEILING LIGHTS

IP54



DARA ■ 9136178

Black Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



DARA ■ 9136179

White Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



FOCUS ■ 752461

Sandy Black Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm




FOCUS ■ 752463

Dark Grey Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



FOCUS ■ 752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm





IP65



CECI ■ 9220021
 Sandy White Aluminium
 Glass Diffuser
 Osram LED 3 Watt 230Lm
 3000K 100-240 Volt 50Hz
 Beam 52° IP65
 D: 5.5 H: 11 cm



CECI ■ 9200612
 Sandy White Aluminium
 Glass Diffuser
 Osram LED 6 Watt 520Lm
 3000K 100-240 Volt 50Hz
 Beam 76° IP65
 D: 9 H: 11 cm



CECI ■ 9220022
 Sandy Black Aluminium
 Glass Diffuser
 Osram LED 3 Watt 230Lm
 3000K 100-240 Volt 50Hz
 Beam 52° IP65
 D: 5.5 H: 11 cm



CECI ■ 9200611
 Sandy Black Aluminium
 Glass Diffuser
 Osram LED 6 Watt 520Lm
 3000K 100-240 Volt 50Hz
 Beam 76° IP65
 D: 9 H: 11 cm



IP54



CERISE ■ 9020021
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



CERISE ■ 9040021
White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



CERISE ■ 9020061
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



CERISE ■ 9040061
White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



CERISE ■ 9020022
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm




CERISE ■ 9040022
White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm






IP65



OLIVER ■ 9944603
Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



OLIVER ■ 9944602
Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



IP54



TOMMY ■ 9521001
Dark Gray ABS & Acrylic Diffuser
LED 25 Watt 3728Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm




TOMMY ■ 9521002
Dark Gray ABS & Acrylic Diffuser
LED 21 Watt 2391Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm







SPOT LIGHTS



BLADE • 9232116
White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE • 9232115
Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



BLADE • 9232119
White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



BLADE • 9232120
Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



Rotating



BLADE • 9232117
White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



Rotating



BLADE • 9232118
Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm

IP65






PORTABLE LIGHTS



Charging time: 7-10hrs

- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs

IP54




FUMO - 9002863
Dimmable
White Aluminium & Acrylic
LED 2 Watt 230Lm
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm

LED IP54 Warm White



FUMO - 9002864
Dimmable
Black Aluminium & Acrylic
LED 2 Watt 230Lm 3000K
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm

LED IP54 Warm White



FABIO - 9492441
Dimmable
Black Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 280Lm
3000K DC 5 Volt
Beam Angle 83° IP54
Switch On/Off / USB Wire
D: 19 H: 38 cm

LED IP54 Warm White

USB
CHARGER





Charging time: 4.5hrs

- Touch 1: 100% of light - 10hrs
- Touch 2: 50% of light - 20 hrs

IP54


TWO DIFFERENT TYPES OF CHARGING



PG RECHARGING BASE




USB TYPE C



SEINA ■ 9223406
Dimmable
Sandy Black Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off
Rechargeable with PG base
or White USB Type C Wire
D: 11.4 H: 39.5 cm

LED IP54 2700K 5V 2A



SEINA ■ 9223407
Dimmable
Sandy White Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off
Rechargeable with PG base
or White USB Type C Wire
D: 11.4 H: 39.5 cm

LED IP54 2700K 5V 2A




BASE ■ 9223408
Sandy Black Aluminium
PG Recharging Base Compatible
with codes 9223406 & 9223407



ADAPTOR ■ 9223409
Black adaptor 5V 2A



ADAPTOR ■ 9223410
White adaptor 5V 2A



Charging time: 4.5hrs


- Touch 1: 100% of light - 10hrs
- Touch 2: 50% of light - 20 hrs



SEINA - 9223403

Dimmable


Sandy Brown Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off / USB Type C Wire
Rechargeable with PG base
D: 11.4 H: 39.5 cm



SEINA - 9223405

Dimmable


Sandy Olive Green Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off / USB Type C Wire
Rechargeable with PG base
D: 11.4 H: 39.5 cm



SEINA - 9223404

Dimmable

Sandy Balsalt Grey Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off / USB Type C Wire
Rechargeable with PG base
D: 11.4 H: 39.5 cm



IP54







IP54 PORTABLE 




COLT ■ 9223412
Dimmable
Sandy Rust Brown Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



COLT ■ 9223414
Dimmable
Sandy Olive Green Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



COLT ■ 9223413
Dimmable
Sandy Dark Grey Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm




ADAPTOR ■ 9223409
Black adaptor 5V 2A




ADAPTOR ■ 9223410
White adaptor 5V 2A



COLT ■ 9223415
Dimmable
Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



COLT ■ 9223411
Dimmable
Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm





IP54 PORTABLE



COLT - 9223999
Dimmable


Sandy Rust Brown Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT - 9223998
Dimmable


Sandy Olive Green Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm




COLT - 9223997
Dimmable


Sandy Dark Grey Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT - 9121911
Dimmable


Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT - 9121912
Dimmable



Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



ADAPTOR - 9223409
Black adaptor 5V 2A



ADAPTOR - 9223410
White adaptor 5V 2A



Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs





USB
CHARGER


- Charging time: 4-5hrs
- Touch 1: 100% of light - 7-8hrs
 - Touch 2: 5% of light - 280 hrs

IP54




ROSE ■ 9281380

White Aluminium
& Acrylic
LED 2 Watt 207Lm
3000K DC 5 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



ROSE ■ 9281381

Black Aluminium
& Acrylic
LED 2 Watt 207Lm
3000K DC 5 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



COLT ■ 9223400

Dimmable

Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



COLT ■ 9223401

Dimmable

Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



- Charging time: 7-8hrs
- Touch 1: 100% of light - 8-9hrs
 - Touch 2: 5% of light - 280 hrs





Charging time: 7-10hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs

VERHAL ■ 9002862
Dimmable
Black Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
L: 16 W: 16 H: 47.5 cm

VERHAL ■ 9002861
Dimmable
White Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
L: 16 W: 16 H: 47.5 cm



JIGRA ■ 9002876
Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 306° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22.8 cm

JIGRA ■ 9002877
Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 210Lm
3000K 3.7 Volt
Beam Angle 339° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22 cm


IP54 **PORTABLE**   **SOLAR**





IP65 PORTABLE 



FIGI ■ 9923500
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 271.41Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 50 cm




FIGI ■ 9922350
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 207Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 35 cm




VENEDO ■ 9002865
Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 180 Lm
3.7 Volt 3000K IP54
D: 10.2 W: 10.2 H: 15 cm

Charging time: 3hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs



IP54

MOCHA ■ 9492700
Anthracite Die-Casting Aluminium
& Clear Glass
LED 2 Watt 191Lm
3000K DC 5 Volt
Beam Angle 96° IP54
D: 15 W: 15 H: 35 cm



IP54



USB CHARGER

USB CHARGER



STEP LIGHTS



LIV - 9018062

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 245.3Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm




LIV - 9018061

White Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 245.3Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm




VISION - 9492690

Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 34Lm
3000K 220-240V
Beam Angle 50° IP54
L: 10 W: 2.9 H: 6.7 cm




RIO - 9492670

Anthracite Die-Casting Aluminium
& Clear Glass
LED 6 Watt 122.31Lm
3000K 220-240V
Beam Angle 266° IP65
L: 22.7 W: 3.5 H: 12.7 cm



IP54






FINLO ■ 9117080
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm



FINLO ■ 9117086
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm



FINLO ■ 9117084
Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm




SOURCE ■ 9117082

Grey Aluminium
LED 3.5 Watt 111.65Lm
3000K 220-240V IP65
HEP DRIVER
Compatible with: 9117080,
9117084, 9117086
L: 6.5 W: 6.7 H: 3.9 cm



IP65



IP54



KRYPTON ■ 710446
Dark Gray Aluminium & Glass
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam Angle 31° IP54
D: 16 W: 9.6 cm



KRYPTON ■ 726408
Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8.5 W: 5 H: 8.5 cm




KRYPTON ■ 752250
Dark Gray Aluminium
LED 6 Watt 751Lm
3000K 220-240 Volt 50Hz
Beam Angle 32° IP54
L: 15 W: 7.5 H: 15 cm




IP65




LUTON ■ 8403624
Dark Gray ABS
LED 1.2 Watt
145Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm



LUTON ■ 8403622
Dark Gray ABS
LED 1.6 Watt
212Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



LUTON ■ 8403626
Dark Gray ABS
LED 1.2 Watt
150Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm






IP54



IP65


BRIGI ■ 9020927

Dark Grey Acrylic Cover
& Diffuser
LED 1.2 Watt 158.99Lm
3000K 220-240V IP65
D: 11 W: 3.1 H: 11 cm



ARNE ■ 9492680

Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 39Lm
3000K 220-240V
Beam Angle 50° IP54
D: 12 W: 2.9 H: 12 cm



AIZEN ■ 9026120

White Aluminium
& Clear Glass
LED 3 Watt 16Lm 3000K
600mA 100-240V
Beam Angle 148° IP54
Cut Out: L: 12.6 W: 4.2 H: 6 cm
L: 13.5 W: 5 H: 6.5 cm
Junction Box Included





JOYA - 9944141

Sandy Black Aluminium
LED 3 Watt 16.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm




JOYA - 9944142

Sandy Black Aluminium
LED 3 Watt 23.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 19° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm



COVE - 9083011

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm




IP54

IP65




COVE - 9083021

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm






IP54




PULSAR ■ 812302

Dark Gray ABS
LED 4 Watt 526.7Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm




PULSAR ■ 811201

Dark Gray ABS
LED 2 Watt 268.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm



PULSAR ■ 812102

Dark Gray ABS
LED 4 Watt 461.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm




PULSAR ■ 811502

Dark Gray ABS
LED 2 Watt 365.14Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm



PULSAR ■ 811501

Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 557Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm



PULSAR ■ 812104

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm



PULSAR ■ 812103

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 683Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



IP54

IP54



KRYPTON ■ 726407

Dark Gray Aluminium
LED 3 Watt 95.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



KRYPTON ■ 727002

Dark Gray Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm





KRYPTON ■ 727001

White Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm





KRYPTON ■ 726402

White Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



KRYPTON ■ 726401

Dark Gray Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm






IP54




KRYPTON ■ 726405

White Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



KRYPTON ■ 726406

Dark Gray Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




IP54




KRYPTON ■ 726403

White Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



KRYPTON ■ 726404

Dark Gray Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm





IP54



CIRCE ■ 9136185

Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE ■ 9136186

White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE ■ 9136187

Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



CIRCE ■ 9136188

White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm





PASSAGIO ■ 8090801

White Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO ■ 9045418

Black Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO ■ 9045514

White Aluminium
LED 1 Watt 32.76Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO ■ 8058001

White Aluminium
LED 1 Watt 41.36Lm 3000K
3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Length 1.80m
Connect it with driver 9020170



PASSAGIO ■ 9031616

White Aluminium
LED 1 Watt 69.7Lm 3000K
3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Length 1.80m
Connect it with driver 9020170




PASSAGIO ■ 9002601


White Aluminium
LED Chip Cree 2 Watt 40.45Lm
100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54



IP67 WATERPROOF



BANG - 9019212
Satin Nickel Aluminium
LED 1 Watt 104.8Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



BANG - 9019213
Satin Nickel Aluminium
LED 1 Watt 98.24Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



BANG - 9203113
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm



BANG - 9203111
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



BANG - 9203112
Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



BANG - 8038801
White Aluminium
LED 1 Watt 19Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG - 8038401
White Aluminium
LED 1 Watt 104.8Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



BANG - 8039001
White Aluminium
LED 1 Watt 11.4Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



CABLE LENGTH 1.80m
DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



DRIVER - 9020170
Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable






WALL WASHER



WALL WASHER - 9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 32 Watt 3387.5Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



Rotation 30°

WALL WASHER - 9011162

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 44 Watt 4222.3Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt



BRACKET - 9011163

Brackets for 9011162
2pcs Included



CONTROLLER - 9011101


DMX CONTROLLER
Used to Control Max 1000 pcs



Rotation 30°

WALL WASHER - 9011164

Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt



RGB




IP67 WATERPROOF




INSTALLATION



CONNECTION: 9011161 - 9011162



CONNECTION: 9011164






WALL WASHER - 9011102


Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
746Lm 3000K DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm



INSTALLATION



IP67 WATERPROOF / ULTRA THIN




IP65 WATERPROOF / ULTRA NARROW / 7°




ALP - 9010009

Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1857Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 17 cm




ALP - 9010008

Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 565Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 10 cm



INSTALLATION



code	page	code	page	code	page	code	page	code	page	code	page
710021	148	773222	150	9002850	56	9020061	180	9060195	84	9176101	28
710022	148	773223	150	9002851	56	9020170	228	9060196	84	9176102	28
710041	148	773224	150	9002860	56	9020921	50	9060197	84	9190101	112
710042	148	810066	140	9002861	203	9020922	50	9060199	128	9192171	126
710446	212	810067	140	9002862	203	9020923	52	9060202	154	9193101	78
711024	40	811201	219	9002863	190	9020924	52	9060203	154	9193102	78
713113	160	811501	218	9002864	190	9020925	50	9060204	154	9195061	27
713114	160	811502	219	9002865	205	9020926	52	9060205	154	9195062	27
713115	160	812102	219	9002866	36	9020927	214	9060206	153	9197701	82
713121	34	812103	218	9002867	36	9020928	49	9060207	86	9197702	82
713122	34	812104	218	9002868	36	9020929	48	9060208	86	9200201	139
713123	34	812302	219	9002869	10	9020930	48	9060213	86	9200202	139
713124	40	813101	75	9002870	11	9020931	49	9083011	217	9200611	178
713212	161	813104	75	9002871	12	9020932	160	9083021	217	9200612	178
713311	44	819502	32	9002872	12	9020933	160	9100916	22	9202131	118
713312	32	819503	32	9002873	70	9026001	59	9100917	22	9202261	118
713313	32	822642	54	9002874	70	9026002	59	9100918	22	9202262	118
713411	44	826423	54	9002875	70	9026116	146	9104021	26	9203111	228
713412	62	833426	136	9002876	202	9026117	146	9104022	26	9203112	228
713514	161	847406	142	9002877	202	9026118	146	9104835	118	9203113	228
726217	135	847407	142	9002878	14	9026119	124	9117080	210	9207167	47
726401	220	847408	142	9002879	14	9026120	214	9117082	210	9207168	47
726402	220	852436	135	9010001	170	9026121	16	9117084	210	9207615	59
726403	222	859438	46	9010002	170	9026122	16	9117086	210	9207616	58
726404	222	859439	46	9010003	170	9026123	68	9120621	112	9207912	18
726405	223	870026	78	9010004	170	9026124	68	9120622	112	9209211	60
726406	223	870045	78	9010005	170	9026125	14	9120711	112	9209212	60
726407	220	870426	88	9010006	170	9026126	166	9121911	198	9220021	178
726408	212	870445	88	9010008	235	9026127	166	9131201	42	9220022	178
727001	220	875409	172	9010009	235	9026128	168	9131202	42	9223400	201
727002	220	910021	148	9010601	151	9027201	122	9136174	144	9223401	201
740401	132	910022	148	9010602	151	9027202	122	9136175	144	9223403	194
740402	132	910041	148	9010621	151	9031616	226	9136176	128	9223404	194
740403	132	910042	148	9010622	151	9040021	180	9136177	128	9223405	194
740404	132	8038401	228	9011101	232	9040022	180	9136178	176	9223406	192
741661	132	8038801	228	9011102	234	9040061	180	9136179	176	9223407	192
741662	132	8039001	228	9011161	232	9045418	226	9136182	147	9223408	192
742071	173	8058001	226	9011162	232	9045514	226	9136183	168	9223409	192
747406	142	8090801	226	9011163	232	9060181	72	9136184	168	9223410	192
752250	212	8401030	140	9011164	232	9060182	72	9136185	224	9223411	196
752461	176	8403622	212	9018061	208	9060183	72	9136186	224	9223412	196
752462	176	8403624	213	9018062	208	9060184	74	9136187	224	9223413	196
752463	176	8403626	212	9019212	228	9060185	74	9136188	224	9223414	196
752470	140	9002601	226	9019213	228	9060192	80	9160081	152	9223415	198
767801	172	9002840	24	9020021	180	9060193	80	9160101	136	9223997	198
773221	150	9002841	24	9020022	180	9060194	84	9172870	168	9223998	198

code	page	code	page	code	page
9223999	134	9492560	120	9756800	30
9226214	134	9492570	130	9762161	96
9226215	134	9492580	120	9762162	96
9226216	134	9492590	156	9790021	100
9226217	186	9492600	126	9790022	100
9232115	186	9492610	130	9790521	107
9232116	186	9492620	126	9790522	107
9223117	186	9492630	131	9790531	106
9232118	186	9492640	54	9790532	107
9232119	186	9492650	131	9790541	104
9232120	173	9492660	208	9790542	104
9240672	173	9492670	214	9790551	104
9240678	173	9492680	208	9790552	104
9240679	124	9492690	204	9905021	64
9257871	124	9492700	82	9905022	64
9259361	124	9492710	76	9905023	64
9262111	157	9492720	76	9905024	66
9270015	157	9492730	76	9905025	66
9270016	156	9492740	76	9922350	204
9270027	156	9492750	82	9922360	114
9270028	164	9492760	38	9923510	114
9271431	164	9492770	38	9923500	204
9271432	166	9492780	182	9925665	138
9271433	166	9521001	182	9925666	138
9271491	164	9521002	159	9926617	152
9271492	59	9522101	159	9936101	42
9277151	18	9522102	158	9936102	42
9279111	18	9529712	158	9944141	216
9279112	200	9529713	158	9944142	216
9281380	200	9529720	158	9944602	182
9281381	20	9529721	158	9944603	182
9291701	20	9540207	100	9971451	165
9291702	20	9540208	100	9971452	165
9291703	20	9540209	104	9971455	166
9292211	124	9540210	106	71371101	62
9297191	46	9540211	98	71371102	62
9470581	102	9540212	98		
9470582	102	9540213	98		
9492441	190	9540214	92		
9492442	82	9540215	92		
9492500	110	9540216	92		
9492510	110	9540217	94		
9492520	110	9540218	94		
9492530	120	9739351	96		
9492540	120	9739352	96		
9492550	156	9756500	30		

32	ACQUA
192	ADAPTOR
12	ADURO
136	AGILE
58	AGOSTO
214	AIZEN
235	ALP
44	APOLLO
124	ARABELLA
98	ARAN
214	ARNE
146	AZAR
114	BALI
228	BANG
100	BARCO
170.192	BASE
112	BAY
92	BEV
186	BLADE
32	BLISS
128	BRICE
214	BRIGI
48.49	BRIGITTA
136	BRIN
94	CAIRO
168	CALIX
156	CAPE
128	CAPO
86	CARINA
96	CASTRO
178	CECI
180	CERISE
70	CETERA
124	CHEZ
224	CIRCE
196.198.201	COLT
126	COMBO
132.135.142	COMO
232	CONTROLLER
217	COVE
176	DARA
138	DARF
168	DESTROY
54	DEVORA
146	DEWEI
131	DEWI
228	DRIVER
159	DROPLET
112	DYN
22	ELLERY
104.106	EMILE
42	ENZI
144	EPIC

A

B

C

D

E

190	FABIO
126	FEDOR
164-165	FEND
74	FERRON
204	FIGI
80	FIGO
210	FINLO
18.140.176	FOCUS
102	FOX
104	FUENTO
190	FUMO
122	FUNGO
126	GOA
100	GRANTE
140	GRAVITY
170-172	INSIDE
88	ISIDORA
202	JIGRA
216	JOYA
152.156.157	KEEN
166	KIMIKO
213.220.222.223	KRYPTON
154	LETO
106.107	LIDO
151	LIMBIO
208	LIV
75	LOCK
78	LOEVE
112	LOVETO
152	LUPO
213	LUTON
10.11	MABEL
110	MARTA
58	MAX
124	MILE
118	MILEY
170	MINI
14	MINOT
204	MOCHA
26	NED
148	NERO

F

G

I

J

K

L

M

N

153	NOBU
150	NODUS
173	NORTH
64	NOTEN
139	NUS
36	OFIR
182	OLIVER
84	OMIKA
147	OVI
40	PARK
130	PARRIS
226	PASSAGIO
30	PAX
140	PIER
38	POET
24	PORTAL
42	POSEN
110	PRIM
218.219	PULSAR
120	PURE
60	PYRO
20	RAMO
82	REGINA
208	RIO
66	ROCK
200	ROSE
192.194	SEINA
76	SELENA
130	SERIKA
132	SOHO
82	SORREN
210	SOURCE
166	STAKE
54	STARK
62	STICK
56	STONE
46.47	SUITE
28	SURF
16. 68	TALA
14	TIEN
182	TOMMY
110	TRENDO
158	TUNE
34	TWIN
110	VALOR
118	VEIRO
205	VENEDO
203	VERHAL

O

P

R

S

T

V

168	VIDA
120	VIDENO
208	VISION
140	VITORIA
27	VOLVEL
232.234	WALL WASHER
134	ZARI
131	ZARO
50.52	ZELDA
160.161	ZENITH
156	ZENON
78	ZEST
120	ZIRI
72	ZOSIA

W

Z

NOVA LUCE
www.novaluce.com